

December 20, 2005

Mr. James C. Strozier, REHS Hazardous Waste Specialist Orange County Health Care Agency Environmental Health 1241 East Dyer Road, Suite 120 Santa Ana, CA 92705-5611

RE: Supplement to June 9, 2005 UST Site Closure Request

SITE: Crown Valley Car Wash 25991 Crown Valley Parkway Laguna Niguel, Ca OCHCA Case #86UT179

Dear Mr. Strozier

This supplement is intended to address items 1 and 5 of the San Diego Regional Water Quality Control Board's e-mail (attached). Attached is a hydrograph for well MW-2R and a plot of benzene concentrations for this well. Well MW-2R is the only well which has contained significant concentrations of benzene over the past year. Chemical analysis data for quarterly groundwater samples collected from this well indicate large fluctuations in benzene concentrations that appear to be influenced by groundwater elevation, with no obvious decreasing trend. Therefore, sufficient information does not appear to exit to estimate a reasonable residence time to benzene at this site.

Please contact David Schultz, P.E. or the undersigned at (949) 833-3667 if you have any questions.

Sincerely,

Aqua Science Engineers, Inc.

Michael Marello, R.G., C.Hg.

Senior Hydrogeologist

attachments

cc: David Schultz, ASE

Larry Thompson, Crown Valley Car Wash



Print - Close Window

From:

"Strozier, James" <jstrozier@ochca.com>

To:

"'mmarello@sbcglobal.net'" <mmarello@sbcglobal.net>

Subject: Crown Valley Car Wash

Date:

Mon, 5 Dec 2005 12:34:55 -0800

Mike.

Here is the Regional Board's e-mail.

James C. Strozier Hazardous Waste Specialist 714-433-6264 istrozier@ochca.com

attachment:

I received a fax copy of the of this closure on October 20, 2005. I do have a couple issues that need resolution. To satisfy Order No. R9-2005-0157 the following items need to be addressed:

- An estimation of the residency time of the benzene needs to made.
- Has a vapor survey of underground utilities been performed at the site?
- 3) Who ever owns the street (city?) needs to be notified that this case is being considered for closure, as it appears that residual pollutants near the edge of the property are likely to move under the street. The historic impacts to the creek would support that this has occurred.
- 4) Boring logs and well construction details need to be uploaded into Geotracker.
- 5) Include hydrographs for the wells.
- 6) Signed transmittal letters are suposed to be a part of a 'complete report' as defined in the regulations for reports that are submitted into Geotracker. All future uploads need to have this.

If you have any questions please let me know.

Jody Ebsen, P.G. Engineering Geologist (858) 636-3146 CRWQCB, San Diego Region 9174 Sky Park Court, Suite 100 San Diego, CA 92123 Office (858) 467-2980 Fax (858) 571-6972

NEW EMAIL ADDRESS/WEB PAGE:

e-mail: JEbsen@waterboards.ca.gov
Web: www.waterboards.ca.gov/sandiego

Please take the time to fill out our electronic customer service survey located at http://www.calepa.ca.gov/Customer/CSForm.asp

>>> "Diekmann, Bill" <bdiekmann@ochca.com> 11/15/2005 8:35 AM >>> Jody,

I received a call from the RP of the above subject case which is in your office for closure concurrence. They would like to know as soon as possible when this case will close. My problem is that Jim Strozier is off on an extended vacation and I won't know whether you emailed him regarding this site. Can you please email me back with the date this closure came into your office (so I can know when the 30 days is up and get the closure letter out before Jim's return) or CC me any email reporting problems with the closure your office may have so that I'm aware if the closure will be held up and can pass this info on to the RP. Thanks.

Bill Diekmann
Orange County Health Care Agency, Environmental Health
bdiekmann@ochca.com
714-433-6250



